

シリーズ一覧

品名 種類	品番	メッシュ寸法(mm)		ストランド寸法(mm)		引伸率	ボンド 長さ (mm)	メッシュ タイプ	単重 (kg/m ²)	定尺重量 (kg)			開口率 (%)	備考
		SW	LW	T	W					914×1829	1219×2438	1524×3048		
XG	11	34	135.4	4.5	7.0	2.43	30	亀甲	14.5	24.2	43.1	67.4	65.2	JIS
	12	34	135.4	6.0	7.0	2.43	↑	↑	19.4	32.4	57.7	90.1	59.7	↑
	13	34	135.4	6.0	9.0	1.89	↑	↑	24.9	41.6	74.0	116	50.4	↑
	14	34	135.4	8.0	9.0	1.89	↑	↑	33.2	55.5	98.7	154	44.0	↑
XG	21	36	101.6	4.5	7.0	2.57	10	菱形	13.7	22.9	40.7	63.6	65.4	JIS
	22	36	101.6	6.0	7.0	2.57	↑	↑	18.3	30.6	54.4	85.0	59.4	↑
	23	36	101.6	6.0	9.0	2.00	↑	↑	23.6	39.5	70.1	110	51.2	↑
	24	36	101.6	8.0	9.0	2.00	↑	↑	31.4	52.5	93.3	146	44.3	↑
G	1	38	100	3.2	4.0	4.75	25	亀甲	5.29	8.84	15.7	24.6	83.6	
	3	38	100	4.5	5.0	3.80	↑	↑	9.30	15.5	27.6	43.2	76.6	
	6	38	100	6.0	6.0	3.17	↑	↑	14.9	24.9	44.3	69.2	68.8	
XS	31	12	30.5	1.2	1.5	4.00	2.0	菱形	2.36	3.95	7.01	11.0	76.5	JIS
	32	12	30.5	1.6	2.0	3.00	↑	↑	4.19	7.01	12.5	19.5	66.9	↑
	33	12	30.5	2.3	3.0	2.00	↑	↑	9.03	15.1	26.8	41.9	47.2	↑
XS	41	22	50.8	1.6	2.0	5.50	3.0	菱形	2.28	3.81	6.78	10.6	83.7	JIS
	42	22	50.8	2.3	2.5	4.40	↑	↑	4.10	6.86	12.2	19.0	76.6	↑
	43	22	50.8	3.2	3.5	3.14	↑	↑	8.00	13.4	23.8	37.2	65.8	↑
XS	51	25	61	1.6	2.5	5.00	4.0	菱形	2.51	4.20	7.46	11.7	84.6	JIS
	52	25	61	2.3	3.0	4.17	↑	↑	4.33	7.24	12.9	20.1	78.3	↑
	53	25	61	3.2	4.0	3.12	↑	↑	8.05	13.5	23.9	37.4	68.5	↑
XS	61	34	76.2	2.3	3.0	5.67	6.0	菱形	3.19	5.33	9.48	14.8	85.0	JIS
	62	34	76.2	3.2	4.0	4.25	↑	↑	5.91	9.88	17.6	27.5	78.4	↑
	63	34	76.2	4.5	5.0	3.40	↑	↑	10.4	17.4	30.9	48.3	69.5	↑
XS	71	50	152.4	2.3	3.5	7.14	10	菱形	2.53	4.23	7.52	11.8	89.7	JIS
	72	50	152.4	3.2	4.0	6.25	↑	↑	4.02	6.72	11.9	18.7	86.0	↑
	73	50	152.4	4.5	5.0	5.00	↑	↑	7.06	11.8	21.0	32.8	80.2	↑
	74	50	152.4	6.0	6.0	4.17	↑	↑	11.3	18.9	33.6	52.5	73.7	
	75	50	152.4	8.0	9.0	2.78	↑	↑	22.6	37.8	67.2	105	61.4	
XS	81	75	203.2	3.2	4.0	9.38	10	菱形	2.68	4.48	7.96	12.4	91.0	JIS
	82	75	203.2	4.5	5.0	7.50	↑	↑	4.71	7.88	14.0	21.9	87.2	↑
	83	75	203.2	6.0	6.0	6.25	↑	↑	7.54	12.6	22.4	35.0	83.0	↑
	84	75	203.2	8.0	9.0	4.17	↑	↑	15.1	25.2	44.9	70.1	75.6	

品 名 種 類	品 番	メッシュ寸法(mm)		ストランド寸法(mm)		引伸率	ボンド 長さ (mm)	メッシュ タイプ	単 重 (kg/m ²)	定 尺 重 量 (kg)			開口率 (%)	備考
		SW	LW	T	W					914×1829	1219×2438	1524×3048		
DSX	103	34	76.2	4.5	5.0	3.40	6.0	菱形	10.4	17.4	30.9	48.3	69.5	
	104	34	76.2	4.5	7.0	2.43	↑	↑	14.5	24.2	43.1	67.4	62.3	
	203	34	76.2	6.0	6.0	2.83	↑	↑	16.6	27.8	49.3	77.1	59.7	
	204	34	76.2	6.0	7.0	2.43	↑	↑	19.4	32.4	57.7	90.1	56.0	
DMG	110	34	135.4	4.5	7.0	2.43	30	亀甲	14.5	24.2	43.1	67.4	65.2	
	120	34	135.4	6.0	7.0	2.43	↑	↑	19.4	32.4	57.7	90.1	59.7	
	130	34	135.4	6.0	9.0	1.89	↑	↑	24.9	41.6	74.0	116	50.4	
	140	34	135.4	8.0	9.0	1.89	↑	↑	33.2	55.5	98.7	154	44.0	
DMG	210	36	101.6	4.5	7.0	2.57	10	菱形	13.7	22.9	40.7	63.6	65.4	
	220	36	101.6	6.0	7.0	2.57	↑	↑	18.3	30.6	54.4	85.0	59.4	
	230	36	101.6	6.0	9.0	2.00	↑	↑	23.6	39.5	70.1	110	51.2	
	240	36	101.6	8.0	9.0	2.00	↑	↑	31.4	52.5	93.3	146	44.3	
XP	904	100	200	4.5	5.0	10.00	10	菱形	3.53	5.90	10.5	16.4	90.7	
	906	100	200	6.0	6.0	8.33	↑	↑	5.65	9.45	16.8	26.2	87.6	
	908	100	200	8.0	9.0	5.56	↑	↑	11.3	18.9	33.6	52.5	82.4	
XP	804	50	200	4.5	5.0	5.00	15	菱形	7.07	11.8	21.0	32.8	80.4	
	806	50	200	6.0	6.0	4.17	↑	↑	11.3	18.9	33.6	52.5	73.9	
	808	50	200	8.0	9.0	2.78	↑	↑	22.6	37.8	67.2	105	61.6	
XP	704	50	187.6	4.5	5.0	5.00	30	亀甲	7.07	11.8	21.0	32.8	81.7	
	706	50	187.6	6.0	6.0	4.17	↑	↑	11.3	18.9	33.6	52.5	75.6	
	708	50	187.6	8.0	9.0	2.78	↑	↑	22.6	37.8	67.2	105	63.7	
XP	503	50	115	3.2	4.0	6.25	10	菱形	4.02	6.72	11.9	18.7	86.2	
	504	50	115	4.5	5.0	5.00	↑	↑	7.07	11.8	21.0	32.8	80.6	
	506	50	115	6.0	6.0	4.17	↑	↑	11.3	18.9	33.6	52.5	74.2	
XP	381	38	100	1.6	2.5	7.60	10	菱形	1.65	2.76	4.90	7.66	90.9	
	382	38	100	2.3	3.0	6.33	↑	↑	2.85	4.77	8.47	13.2	87.0	
	383	38	100	3.2	4.0	4.75	↑	↑	5.29	8.84	15.7	24.6	81.3	
	384	38	100	4.5	5.0	3.80	↑	↑	9.30	15.5	27.6	43.2	73.6	
XP	341	34	80	1.6	2.5	6.80	8.0	菱形	1.85	3.09	5.50	8.59	89.6	
	342	34	80	2.3	3.0	5.67	↑	↑	3.19	5.33	9.48	14.8	85.3	
	343	34	80	3.2	4.0	4.25	↑	↑	5.91	9.88	17.6	27.5	78.7	
	344	34	80	4.5	5.0	3.40	↑	↑	10.4	17.4	30.9	48.3	70.0	

シリーズ一覧

品 名 種 類	品 番	メッシュ寸法(mm)		ストランド寸法(mm)		引伸率	ボンド 長さ (mm)	メッシュ タイプ	単 重 (kg/m ²)	定 尺 重 量 (kg)			開口率 (%)	備 考
		SW	LW	T	W					914×1829	1219×2438	1524×3048		
XP	163	16	30	1.2	1.2	6.67	2.0	菱形	1.41	2.36	4.19	6.55	84.4	
	164	16	30	1.6	1.6	5.00	↑	↑	2.51	4.20	7.46	11.7	78.6	
	165	16	30	2.3	2.3	3.48	↑	↑	5.19	8.68	15.4	24.1	67.8	
XP	141	14	25	0.8	0.8	8.75	1.6	菱形	0.72	1.20	2.14	3.34	88.4	
	142	14	25	1.0	1.0	7.00	↑	↑	1.12	1.87	3.33	5.20	85.2	
	143	14	25	1.2	1.2	5.83	↑	↑	1.62	2.71	4.81	7.52	81.9	
XP	101	10	20	0.8	0.8	6.25	1.5	菱形	1.00	1.67	2.97	4.65	83.4	
	102	10	20	1.0	1.0	5.00	↑	↑	1.57	2.63	4.67	7.29	78.7	
	103	10	20	1.2	1.2	4.17	↑	↑	2.26	3.78	6.72	10.5	73.9	
XP	8020	8	20	—	—		2.0	菱形						
	8018	8	18	—	—		1.0	↑						
	7014	7	14	—	—		1.0	↑						
	7012	7	12.7	—	—		1.0	↑						
	6515	6.5	15	—	—		1.8	↑						
	5514	5.5	14	—	—		1.4	↑						
	5010	5	10	—	—		1.0	↑						
	4812	4.8	12.7	—	—		1.0	↑						
	4014	4	14	—	—		1.0	↑						
	4008	4	8	—	—		1.0	↑						
	3008	3	8	—	—		1.2	丸形						
	3006	3	6	—	—		0.8	菱形						
	3004	3	4.4	—	—		0.2	↑						
	2804	2.8	4.65	—	—		0.5	↑						
	2503	2.5	3.5	—	—		0.2	↑						
	2003	2	3	—	—		0.2	↑						
	1702	1.7	2.5	—	—		0.1	↑						
	1002	1	2	—	—		0.1	↑						
	1001	0.5	1	—	—		0.1	↑						

※ストランド寸法の項目一はご注文に応じて仕上げる
フリーサイズです。
従って、引伸率ほか、単重・定尺重量・開口率等は
随時変化します。